

Multimeter - TESTFOX M - 1212208

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Digital multimeter, for DC and AC voltage measurements, feed-through measurements, and resistance measurements

Why buy this product

- Digital multimeters offer remarkable technology and impressive quality
- ☑ Independently tested and approved according to applicable IEC/EN 61010 standards by the certification institute
- oxdot The devices can be used for voltages of up to 600 V category III or 1000 V category II
- They provide professional service engineers and operating engineers with a higher level of protection, thereby ensuring maximum safety during work
- Phase voltages can be detected precisely thanks to the audible and red light signals
- Cable breaks and faulty lamps in exposed cables can be traced from the phase feed side right to the point of interruption
- Suitable for measuring AC voltages and resistance as well as testing continuity and diodes



Key Commercial Data

Packing unit	1 STK
GTIN	4 046356 449793
GTIN	4046356449793

Technical data

Ambient conditions

Degree of protection	IP30
----------------------	------

General

Color	black
Power supply	2 x micro battery 1.5 V, LR03, AAA
Measuring category	CAT III 600 V / CAT II 1000 V
Test certificate	IEC/EN 61010-1, DIN VDE 0411
Display scope	2000 digits



Multimeter - TESTFOX M - 1212208

Technical data

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Approvals Approvals			
Approvals			
EAC			
Ex Approvals			
Approval details			
EAC	EAC		EAC-Zulassung

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com